

# The complete solution for fighting viruses and bacteria

Energy lives here™

## To combat COVID-19, your product needs the right solution.

Isopropyl alcohol (IPA) is the clear choice for your antiseptic, sanitizing, and disinfectant needs. Whether you're manufacturing surface disinfectants, hand sanitizers, or alcohol wipes; IPA is fast, safe, and simple as compared with three other common active ingredients.



Fast

	IPA 70%	Ethanol 80%	Bleach 0.26%	Quats 0.10%
Disinfects in 30-seconds	✓	✓	∅	∅
Shelf-life greater than 1 year	✓	✓	∅	✓



Safe

EPA Safer-Choice listed	✓	✓	∅	∅
No-rinse for food contact surface	✓	✓	∅	∅
No risk of toxic methanol**	✓	∅	NA	NA
Absence of benzene***	✓	∅	NA	NA

Simple



No alcohol tax/trade regulations	✓	∅	✓	✓
No residue	✓	✓	∅	∅
Toughest on grease	✓	∅	∅	∅

\*when used as recommended  
\*\*fermentation based ethanol

\*\*\*IPA below the detectable limit of 0.09 ppm benzene; Ethanol may contain a maximum of 2.0 ppm benzene per the FDA Temporary Policy on Preparation for Alcohol-Based Hand Sanitizer

## ExxonMobil has you covered

For over a century, ExxonMobil has manufactured high purity IPA. ExxonMobil™ IPA Pharmacopoeia meets US, EU, India, and Japan pharmacopoeia. With the largest IPA plant in the world, we provide supply reliability and global logistics to meet your production needs.



Contact us today at [exxonmobilchemical.com/IPA](https://www.exxonmobilchemical.com/IPA)

©2020 Exxon Mobil Corporation. To the extent the user is entitled to disclose and distribute this document, the user may forward, distribute, and/or photocopy this copyrighted document only if unaltered and complete, including all of its headers, footers, disclaimers, and other information. You may not copy this document to a Web site. ExxonMobil does not guarantee the typical (or spot) values. Test methods are available upon request. Analysis may be performed on representative samples and not the actual product shipped. The information in this document relates only to the named product or materials when not in combination with any other product or materials. We based the information on data believed to be reliable on the date compiled, but we do not represent, warrant, or otherwise guarantee, expressly or impliedly, the merchantability, fitness for a particular purpose, suitability, accuracy, reliability, or completeness of this information or the products, materials, or processes described. The user is solely responsible for all determinations regarding any use of material or product and any process in its territories of interest. We expressly disclaim liability for any loss, damage, or injury directly or indirectly suffered or incurred as a result of or related to anyone using or relying on any of the information in this document. There is no endorsement of any product or process, and we expressly disclaim any contrary implication. The terms, "we", "our", "ExxonMobil Chemical", or "ExxonMobil" are used for convenience, and may include any one or more of ExxonMobil Chemical Company, Exxon Mobil Corporation, or any affiliates they directly or indirectly steward. ExxonMobil and the "Interlocking X" Device are trademarks of ExxonMobil Corporation.